GBA Gesellschaft für Bioanalytik mbH · Goldtschmidtstr. 5 · 21073 Hamburg

GymBeam Fitness Company GmbH

Kärtner Ring 1
1010 Wien
Austria

DAkkS Deutsche Akkreditierungsstelle D-PL-14170-01-00

Our Sign : JoK
Date : 29.06.2026

Certificate of analysis 26030556 - 001

Sample name	:	BCAA shot - GymBeam 90 ml - Apricot (EN/DE)
Marking of sample	:	3 x 60 ml 100030617 02.04.2028
Customer No.	:	none
Packaging	:	Commercial package
Sample amount	:	1 x 60 mL
Shipping of sample	:	Courier Service
Sample entry	:	19.06.2026
Entrance temperature	:	Room temperature
Sample taken	:	by sender
Begin/end of analysis	:	19.06.2026 / 29.06.2026

The test results apply only to the test items described in the report. No responsibility is accepted for the validity of the results if any data or information provided by the customer may affect them. Data provided by the customer are clearly identified. The laboratory assumes no responsibility for the sampling including minimum quantities unless it was carried out by samplers from a company within the GBA Group or on its behalf. In this case, the results apply to the sample as received. The test report may not be published or reproduced, in whole or in part, without the written consent of the issuing company. The general terms and conditions are available at https://www.gba-group.com/en/general-terms-and-conditions/.

Dok.-Nr.: ML 510-01 # 2 V1 E, 511, 19.02.2026

GBA Gesellschaft für Bioanalytik mbH
Goldtschmidtstr. 5, 21073 Hamburg
Telefon +49 (0)40 797172-0
Fax +49 (0)40 797172-27
E-Mail gba-group@gba-group.com
www.gba-group.com

Sitz der Gesellschaft:
Hamburg
Handelsregister:
Hamburg HRB 42774
USt-Id.Nr. DE 118 554 138
St.-Nr. 47/723/00196

Geschäftsführer:
Ralf Murzen,
Ole Borchert,
Alexander Kleinke,
Dr. Dominik Obeloer

seit 1989

Certificate of analysis : 26030556 - 001
Sample name : BCAA shot - GymBeam 90 ml - Apricot (EN/DE)

Test Results

Chemical/Physical Test	*Result*	*Unit*	*Declaration*	*± MU*	*MU Source*
Amino acid spectrum, free					
Valine	1428	mg/100 mL	1389	214	I
Isoleucine	1428	mg/100 mL	1389	286	I
Leucine	2754	mg/100 mL	2778	551	I
Density	1,02	g/mL		0,01	I

Assessment:
The measured content of leucine, isoleucine and valine corresponds to the declared value with sufficient accuracy.

Hamburg, 29.06.2026

This test report is done automatically and is valid without signature.

Methods

Parameter	*Method*	*DR*
Amino acid spectrum, free	HH-MA-M 02-183, LC-MS/MS: 2025-07[a][0]	y
Density	HH-MA-M 04-048, gravimetric: 2024-06[a][0]	z

The methods marked with [a] are accredited methods of the performing laboratory.
Testing laboratory: [0]GBA Hamburg

MU-Source:
I: According to DIN ISO 11352 as expanded, combined measurement uncertainty with k = 2 (95 %), sampling not included

Decision rules:
y: In conformity assessment, measurement uncertainty is disregarded for measured values below the tolerance limit. For measured values exceeding the tolerance limit, measurement uncertainty is subtracted from the measured value. If no conformity assessment is performed, measurement uncertainty serves as informational data only.
z: In conformity assessment, measurement uncertainty is disregarded and serves as informational data only.

MU: measurement uncertainty, dm: dry mass, <: measured value below the reporting limit, D: Declaration according to prepackage, CS: customer specification, ML: maximum level, DR: decision rules, cfu: colony forming units