

GymBeam s.r.o.

Ms. Sláviková

Rastislavova 93

040 01 Kosice - mestská cast Juh

Slovakia



Contact person:
Rebecca Rugo
Phone +49 40 797172-435
r.rugo@gba-group.de

Certificate of analysis 25039948 - 012

Sample name : BIO Tribulus tea - VanaVita 50 g

Marking of sample : 04-05-2027 04-05-2027

Customer No. : none

Packaging : Commercial package

Sample amount : 2 x 50 g

Shipping of sample : Courier Service

Sample entry : 15.08.2025

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 15.08.2025 / 26.08.2025

The test results apply only to the test items described in the report. No responsibility is accepted for the validity of the results if any data or information provided by the customer may affect them. Data provided by the customer are clearly identified. The laboratory assumes no responsibility for the sampling unless it was carried out by samplers from a company within the GBA Group or on its behalf. In this case, the results apply to the sample as received. The test report may not be published or reproduced, in whole or in part, without the written consent of the issuing company. The general terms and conditions are available at <https://www.gba-group.com/en/general-terms-and-conditions/>.



Certificate of analysis : 25039948 - 012

Sample name : BIO Tribulus tea - VanaVita 50 g

Test Results

Microbiological Test	Result	Unit
E. coli	<10	cfu/g
Salmonella	negative	/ 25 g

Chemical/Physical Test	Result	Unit	± MU	MU[%]	MU Source
Lead	0,37	mg/kg	0,074	20	I
Cadmium	0,48	mg/kg	0,096	20	I
Mercury	<0,010	mg/kg		25	I

Hamburg, 26.08.2025

This test report is done automatically and is valid without signature.

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

Methods

Parameter	Method	DR
E. coli	Biomerieux, Rebecca-Agar AEB520020/AEB150022: 2020-09 ^a ; validated according to EN ISO 16140-2 against ISO 16649-2 2001-07 ₀	m
Salmonella	DIN EN ISO 6579-1: 2020-08 ^a ₀	m
Lead	DIN EN 15763, ICP-MS: 2010-04 ^a ₅	y
Cadmium	DIN EN 15763, ICP-MS: 2010-04 ^a ₅	y
Mercury	DIN EN 15763, ICP-MS: 2010-04 ^a ₅	y
Pressure pulping	§ 64 LFGB L 00.00-19/1: 2015-06 ^a ₀	q

The methods marked with ^a are accredited methods of the performing laboratory.

Testing laboratory: ₀GBA Hamburg ₅GBA Pinneberg

MU-Source:

I: According to DIN ISO 11352 as expanded, combined measurement uncertainty with k = 2 (95 %), sampling not included

Decision rules:

y: In conformity assessment, measurement uncertainty is disregarded for measured values below the tolerance limit. For measured values exceeding the tolerance limit, measurement uncertainty is subtracted from the measured value. If no conformity assessment

Certificate of analysis : 25039948 - 012

Sample name : BIO Tribulus tea - VanaVita 50 g

is performed, measurement uncertainty serves as informational data only.

q: The conformity assessment of qualitative measurement values (positive/negative, conforms/ does not conform) is performed without considering additional analytical measurands.

m: The conformity assessment of microbiological measured values is performed without considering additional analytical measurands.