

GymBeam s.r.o.  
Sláviková  
Rastislavova 93  
040 01 Kosice - mestská časť Juh  
Slovakia



Contact person:  
Rebecca Rugo  
Phone +49 40 797172-435  
r.rugo@gba-group.de

### **Certificate of analysis 25009265 - 027**

Sample name : Vitamin A (Retinol) - GymBeam 60 caps- 3x36g  
Marking of sample : 82398 11/2026  
Customer No. : Vitamin A (Retinol) - GymBeam 60 caps  
Packaging : Commercial package  
Sample amount : 3 x 36 g  
Shipping of sample : Courier Service  
Sample entry : 24.02.2025  
Entrance temperature : Room temperature  
Sample taken : by sender  
Begin/end of analysis : 24.02.2025 / 10.03.2025

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. Our general terms and conditions can be viewed on our website ([gba-group.com/aab](http://gba-group.com/aab)).

1 von 3

Certificate of analysis : 25009265 - 027

Sample name : Vitamin A (Retinol) - GymBeam 60 caps- 3x36g

## Test Results

<i>Microbiological Test</i>	<i>Result</i>	<i>Unit</i>
Coliforms	<10	cfu/g
Yeasts / moulds		
Yeasts	1,8 · 10 <sup>2</sup>	cfu/g
Moulds	<10	cfu/g
Salmonella	negative	/ 25 g

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>	<i>Max. level</i>
Lead	<0,020	mg/kg	3
Cadmium	<0,010	mg/kg	1
Mercury	<0,010	mg/kg	0,1

Maximum levels for food supplements according to VO (EU) 2023/915

### Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

Hamburg, 10.03.2025

\_\_\_\_\_  
i. A. R. Rugo

(Certified Food Chemist / Customer Service)

*This test report is done automatically and is valid without signature.*

## Methods

<i>Parameter</i>	<i>Method</i>
Coliforms	ISO 4832: 2006-02 <sup>a</sup> <sub>0</sub>
Yeasts / moulds	BIOKAR Diagnostics, Symphony-Agar BM20208/BM19108: 2022-11 <sup>a</sup> ; validated according to EN ISO 16140-2 against EN ISO 21527-1/-2 2008-11 <sub>0</sub>
Salmonella	DIN EN ISO 6579-1: 2020-08 <sup>a</sup> <sub>0</sub>
Lead	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Cadmium	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Mercury	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>

With <sup>a</sup> marked methods are accredited.

Testing laboratory: <sub>0</sub>GBA Hamburg <sub>5</sub>GBA Pinneberg

Certificate of analysis : 25009265 - 027

Sample name : Vitamin A (Retinol) - GymBeam 60 caps- 3x36g